Direct inquiries for additional copies of


Tobacco, Alcohol, & Other Drug Abuse Trends in Washington State,

to:

Washington State Alcohol & Drug Clearinghouse 1-800-662-9111

This report is also available on the Division of Alcohol and Substance Abuse website: www1.dshs.wa.gov/dasa/

Tobacco, Alcohol, and Other Drug Abuse Trends in Washington State 2003 Report



David H. Albert

October 2003

Kenneth D. Stark, Director Division of Alcohol and Substance Abuse Washington State Department of Social and Health Services Olympia, WA 98504-5330

Production of the 2003 Trends Report required the assistance and collaboration of many individuals. Werner Ide of WIDE Designs continues to provide excellent service in designing this Report. For their varied and wide-ranging contributions to this Report, we wish to thank the following individuals:

Washington State Department of Social and Health Service (DSHS)

Division of Alcohol and Substance Abuse

Doug Allen

Glenn Baldwin

Linda Becker

Steve Bogan

Kevin Campbell

Vince Collins

Pam Darby

Fred Garcia

Sue Green

Corki Hirsch

Toni Krupski

Michael Langer

Neva Leons

Sandra Mena

Rose Mary Micheli

Terrie Orphey

Keri Patzer

Harvey Perez

Felix Rodriguez

Pam Sacks

Ellen Silverman

Steve Smothers

Emilio Vela

Ed Vukich

Scott Waller

Fritz Wrede

Office of Research and Data Analysis

Sharon Estee

Elizabeth Kohlenberg

Daniel Nordlund

Office of Superintendent of Public Instruction

Martin Mueller

Washington State Department of Corrections

Tracey Denomy

Shawn Kennicutt

Patricia Noble

Peggy Smith

Cynthia Walker

Washington State Department of Ecology

Steve Hunter

Washington State Department of Health

Lillian Bensley

Vicki Hohner

Mary Ann Shann-Fetty

Pat Starzyk

John Whitbeck

Katrina Wynkoop-Simmons

Washington State Traffic Safety Commission

Philip Salzloung

University of Washington

Brent Baxter

Molly Carney

Karan Dawson

Colleen Murphy

RMC Corporation

Dennis Deck

Eric Einspruch



Message from the Governor	x
Message from the Director	
The Division of Alcohol and Substance Abuse: Mission and Strate	
Drugs of Abuse	- xvii
Drugs of Abuse Controlled Substances Uses and Effects	xvii
Street Prices for Illicit Drugs	
New/Changing Trends for 2003	
The Economic Costs of Substance Abuse	
United States	
Economic Costs in the United States, 1995	5
Washington	
Economic Costs in Washington State, 1996	0
Mortality, Crime, and Morbidity Costs	10
Treatment as Percentage of Total Economic Costs	
Impact on State Government Spending, 1998	
Impact on State Government SpendingImpacts as Percentage of State Government Spending	
Primary Impacts on State Budget	14
Timary impacts on state budget	14
The Problem: Substance Abuse Prevalence and Trend	S
Washington's Healthy Youth Survey	
Grade 8, 10, and 12 Students Who Have Ever Used:	
Cigarettes	20
Alcohol	
Marijuana	
Past 30-Day Use by Students:	
Cigarettes	36
Alcohol	
Recent Binge Drinking	
Marijuana	32



Methamphetamine	
MDMA/Ēcstasy	
Steroids	
Inhalants	37
Perceptions of Great Risk of Harm from:	
Heavy Alcohol Use	38
Regular Marijuana Use	40
Smoking One or More Packs of Cigarettes a Day	
Effects of Peer Substance Abuse on School Performance	43
Adult Substance Use	
Lifetime and Past 30-Day Alcohol Use	47
Lifetime and Past 30-Day Marijuana Use	
Lifetime and Past 30-Day Hard Drug Use	
Smoking Status of Adults (All)	
Smoking Status of Adults (Men)	57
Smoking Status of Adults (Women)	58
Per Capita Alcohol Consumption	
Binge Drinking Rates	
Chronic Drinking Rates (New/Changing Trend)	
Areas of Substance Abuse Impact	
Birth Defects/Complications	
Low Birth Weight Babies	67
Infant Death Rate	
Accident Risks	
Alcohol-Related Motor Vehicle Fatalities (New/Changing Trend)	
Alcohol-Related Motor Vehicle Fatalities Per Miles Traveled	
Drowning Deaths	
Fire-Related Deaths (New/Changing Trend)	
Health Consequences	
Chronic Liver Disease and Cirrhosis-Related Deaths	
Drug-Induced Deaths	
Seattle-King County Drug-Related Emergency Room Visits	



Seattle-King County Emergency Room Mentions of Heroin/Morphine	80
Seattle-King County Heroin-Related Deaths (New/Changing Trend)	81
Seattle-King County Other Opiate-Related Deaths (New/Changing Trend)	82
Alcohol-Induced Deaths	83
Alcohol-Related Diagnoses Among Acute Hospital Discharges	84
Lung Cancer Deaths	85
Chronic Lower Respiratory Disease Deaths	86
Coronary Heart Disease Deaths	87
Infectious Diseases	
AIDS cases	91
Tuberculosis Cases	
Hepatitis B Cases	93
Hepatitis C Among King County Injection Drug Users	94
Primary and Secondary Syphilis Cases	
Gonorrhea Cases (New/Changing Trend)	96
Crime	
Alcohol-Related Motor Vehicle Arrests	99
Drug Abuse Violations	
Prostitution Arrests	
Property Crime Index	
Number of Methamphetamine Laboratories (New/Changing Trend)	103
Distribution of Methamphetamine Laboratories by County	
Number of Methamphetamine Laboratories by County	
Drug Tests Among Males Booked into King and Spokane County Jails	
Substance-Related Problems Among Youth Entering JRA Facilities	
Youth Receiving Treatment Under Chemical Dependency Disposition Alternative	108
Arrests for Drug Offenses (New/Changing Trend)	
Drug Offenders in Department of Corrections Custody	
Cost of Imprisoning Drug Offenders (New/Changing Trend)	



Violence	
Homicide Deaths	
Suicide Deaths	
Aggravated Assaults	117
Violent Crime	118
Family Distress	
Divorce	
Teen Births	122
Infants Born to Low-Income Substance-Abusing Women	123
Solutions: Prevention and Treatment	
Introduction	
Prevention	
DASA Prevention Philosophy	
Principles of Effective Substance Abuse Prevention	
Children's Transition Initiative	
Targeted Risk Factors	138
Statewide Prevention Services	147
Washington State Incentive Grant	151
Treatment	
Introduction	159
DASA Treatment Philosophy	
Need for Treatment	
Computing the DASA Treatment Gap	
The Treatment Gap	
Treatment Admission Trends	
Definitions of Modality Categories	
Adult Admissions	
By Primary Drug of Abuse	
By Treatment Modality	
By Race/Ethnicity	
For Methamphetamine Addiction	
ADATSA Waiting List (New/Changing Trend)	183



Detoxification	
County Trends in Alcohol Treatment Admissions	
County Trends in Marijuana Treatment Admissions	188
County Trends in Methamphetamine Treatment Admissions	
County Trends in Cocaine Treatment Admissions	192
County Trends in Heroin Treatment Admissions	
Youth Admissions	197
By Primary Drug of Abuse	199
By Treatment Modality	200
By Race/Ethnicity	201
For Methamphetamine Addiction	202
Detoxification	
County Trends in Alcohol Treatment Admissions	
County Trends in Marijuana Treatment Admissions	
County Trends in Methamphetamine Treatment Admissions	
County Trends in Cocaine Treatment Admissions	
County Trends in Heroin Treatment Admissions	212
Treatment Through the Department of Corrections	
The Department of Corrections Responds to the Need for Treatment	217
Treatment in Confinement and Community Custody (New/Changing Trend)	
By Modality	
Sentencing Under the Drug Offender Sentencing Alternative	
Outcomes	
The Benefits of Prevention and Treatment	
The Work of the DASA Research and Evaluation Section	
Adolescents	
Profile of Adolescents Served	
Income Sources Before and After Treatment	
School Discipline Problems Before and After Treatment	
Legal Supervision Before and After Treatment	
Impact of Treatment on "Becca" Youth	
Delinquent Behavior Among "Becca" Youth Following Treatment	230



Profile of Pregnant Women Served
Very Low Birth Weight Births Following Treatment
Very Low Birth Weight Births Following Treatment
Medicaid Costs for Infants Following Treatment
Pre-Term Deliveries Following Treatment
ADATSA Patients
Profile of ADATSA Patients Served
Medical Cost Savings Following Treatment
Medicaid Cost Savings Following Treatment
Savings in Public Expenditures Following Treatment
Supplemental Security Income Recipients
Profile of SSI Clients Served
Medical Cost Savings Following Treatment
Fewer Criminal Arrests Following Treatment
Mentally Ill Chemically Abusing Patients
Medicaid Services Utilization Following Treatment
Acute Care Services Utilization Following Treatment
Low-Income Patients
Profile of Low-Income Adults Served
Positive Outcomes Associated with Treatment
Profile of TANF Clients Served
AFDC Client Earnings Following Treatment
Patients Receiving Opiate Substitution Treatment
Profile of Opiate Substitution Treatment Patients Served
Criminal Arrests During Treatment
Health Services Utilization During Treatment
Decreases in Heroin Use
Decreases in Days Engaged in Illegal Activity
Patient Satisfaction
Overall Satisfaction
Would Return to Same Program



Treatment Comp	eletion	
Treatment Comple	etion Improves Patient Outcomes	277
	tial Treatment Completion	
Adult Residen	tial Treatment Completion	279
Completers M	ore Likely to Become Employed	280
Completers Ha	ave Higher Post-Treatment Wages	281
	ave Lower Hospital Admission Rates	
	ave Lowers Arrest/Conviction Rates	
SSI Clients Co	mpleting Treatment Have Fewer Arrests/Convictions	286
SSI Clients Co	mpleting Treatment Have Lower Medical/Psychiatric Costs	287
	ion Improves Outcomes Among Methadone Patients	
	ution Treatment Patients Have Lower Hospital Admission Rates	
	ion is Associated with Higher Methadone Dose	
Alcoholism as Criminal Justi Opiate Substit	icy Issues Confronting Washington State a Chronic Disease ce ution Treatment	301 309
Substance Abi	ico and Aging	





GARY LOCKE Governor



STATE OF WASHINGTON

OFFICE OF THE GOVERNOR

P.O. Box 40002 • Olympia, Washington 98504-0002 • (360) 753-6780 • www.governor.wa.gov

Message from the Governor

I am pleased to share with you the 2003 edition of Tobacco, Alcohol, & Other Drug Abuse Trends in Washington State. This report makes clear the great stake we all share in finding ways to combat the misuse of alcohol, tobacco, and drugs, which exact a heavy toll upon Washington families and their children.

This Trends Report provides a wealth of information regarding the prevalence of substance abuse among youth and adults, as well its effects upon our health and well being. Addiction to alcohol, tobacco, and drugs adversely impacts public health and safety, resulting in increased violence, crime, delinquency, birth defects, automobile accidents, and illness. It inhibits economic vitality and our efforts to improve education.

Fortunately, prevention strategies and treatment programs are working. Under my direction, the Washington State Substance Abuse Prevention System has brought together the directors of state agencies, councils, commissions, and boards. Together, they are addressing Washington State's objectives and strategies for a coordinated substance abuse prevention system. As shown in this Report, the System is beginning to pay off in healthier, safer communities.

Reliable and comprehensive information is essential to assist in decisionmaking at both the state and local levels. This Report serves as a valuable tool for distributing facts that guide us in our continuing efforts to address this critical problem.

Sincerely

Gary Locke Governor



Message from the Director

Some things change, and some remain the same.

2003 is a difficult year for state governments around the nation, and Washington State is no exception. The state economy is less robust than in the past, unemployment is high, and the state faces budget deficits on a scale never before seen. Inflation in health care costs is accelerating. The very real needs of our residents are escalating at a time when we as a state seem least able to respond effectively to them.

That's the bad news. The good news, as detailed in *Tobacco, Alcohol, & Other Drug Abuse Trends in Washington—2003*, is that we at the Division of Alcohol and Substance Abuse (DASA), and our partners in the alcohol and drug abuse prevention and treatment field, are part of the solution, rather than the problem. And we are proud to report that our other partners at the local, state, and federal levels – policy-makers, legislators, advocates, and funders – increasingly view us this way.

This 2003 Trends Report, as have previous Trends Reports, illustrates why. The research is clear: providing quality substance abuse prevention and treatment services is a sound investment in the future health and productivity of individual residents, and the welfare and safety of our families and communities. And it often saves dollars today. A 2003 study of Supplementary Security Income (SSI) clients in need of chemical dependency treatment found that medical, mental health, nursing home, and criminal justice costs for those who received treatment were \$252 per month lower than those who didn't. This is even factoring in the cost of treatment. If an additional 30% of the almost 11,000 SSI recipients in need were to receive treatment, the annual cost savings would be approximately \$9.6 million. Similar savings have been reported in the treatment of adolescents, pregnant and parenting women, Temporary Assistance for Need Families (TANF) clients, low-income adults, and among patients receiving opiate substitution treatment.

In the prevention arena, agencies have now been brought together under the Governor's Statewide Prevention Plan to focus on evidence-based approaches. DASA now requires that scarce resources be spent on program designs that are science-based. These are programs proven to get results, with healthier youth and stronger, more vibrant communities as a consequence. This year's *Trends Report* details five of these programs, which now exist in every corner of the state.

There is plenty left to be done. Only one out of four adults in Washington State who are in need of, and qualify for, publicly funded chemical dependency treatment receive it. Waiting lists for treatment under the Alcohol and Drug Abuse Treatment and Support Act have tripled in the past decade, and stand at an all-time high. As our efforts to ensure higher treatment retention and completion rates – and hence better outcomes – bears fruit, fewer individuals will be able to access care unless new resources are found. This, in turn, increases the burden on public assistance, medical and psychiatric health, social service, and criminal justice systems.

With our community partners in the prevention and treatment fields, DASA continues its commitment to a healthier Washington. We *are* part of the solution. We look forward to joining together with others to support healthy lifestyles by preventing the misuse of alcohol, tobacco, and other drugs, and supporting individuals in their recovery from the disease of chemical dependency.

Kenneth D. Stark, Director

The Division of Alcohol and Substance Abuse: Mission and Strategic Goals



In 2001, the Division of Alcohol and Substance Abuse (DASA), with the assistance of the Citizens Advisory Council on Alcoholism and Drug Addiction and others, adopted a new Strategic Plan for 2001-2006. In doing so, DASA revisited and revised its Mission Statement to reflect the needs of Washington residents and the philosophy behind the operations of the Division as we enter the 21st Century.

Mission

The Mission of the Department of Social and Health Services is to improve the quality of life for individuals and families in need. We will help people to achieve safe, self-sufficient, healthy and secure lives. The Division of Alcohol and Substance Abuse promotes strategies that support healthy lifestyles by preventing the misuse of alcohol, tobacco, and other drugs, and support recovery from the disease of chemical dependency.

To succeed in its Mission, the Division of Alcohol and Substance Abuse is dedicated to building collaborative partnerships with communities, tribes, counties, service providers, schools, colleges and universities, the criminal justice system, and other agencies within the private sector and within local, state and federal governments. The Division is committed to ensuring services are provided to individuals and communities in ways that are culturally relevant, and honor the diversity of Washington State.

To carry forth our Mission, the Division of Alcohol and Substance Abuse will:

- Develop policy options, and plan for the development and delivery of an effective continuum of chemical dependency prevention and treatment services.
- Provide and ensure quality services that support individuals and families in their efforts to raise children who are free of alcohol, tobacco, and other drugs.
- Educate communities about the importance of maintaining healthy lifestyles, and provide opportunities, tools and resources to enable communities to define and meet their local substance abuse prevention needs.
- Implement a continuum of intervention and treatment services to meet local, regional, tribal and statewide needs, and which specifically address the needs of low-income adults, youth, women, children, and families.
- Support continued recovery and a return to competitive employment by helping individuals surmount barriers to self-sufficiency.



- Develop standards, and assist providers in attaining, maintaining, and improving the quality of care for individuals and families in need of prevention and treatment services.
- · Provide training and professional development opportunities for the chemical dependency field.
- Oversee and coordinate research that identifies need for publicly funded services, and assesses prevention and treatment.
- Provide management information services and support to internal and external customers.
- Manage available resources in a manner consistent with sound business practices.
- Advocate for the enhanced availability of, and resources for, prevention and treatment services as a primary avenue for protecting and promoting the public health and safety of all Washington residents.

Strategic Goals

As part of its Strategic Plan and to serve its broader mission, DASA has set eight strategic goals for 2001-2006:

- Protect vulnerable adults, children, and families;
- Break down barriers to self-sufficiency;
- Assure public safety and help build strong, healthy communities;
- Reduce misuse and improve lives through preventive action;
- Honor diversity and promote equal access and opportunity;
- Promote accountability and public stewardship in policy, programs, and practice;
- Improve quality through innovation, technology and research; and
- Build a strong, committed workforce.



Introduction

The Division of Alcohol and Substance Abuse (DASA) first published the *Tobacco, Alcohol, and Other Drug Abuse Trends Report* in 1993 as an effort to document and monitor Washington State's progress towards the *Healthy People 2000: National Health Promotion and Disease Prevention Objectives*. Published in 1990, *Healthy People 2000* provided statistical milestones by which health policymakers and analysts can measure progress in the prevention of morbidity and mortality. A successor – *Healthy People 2010* – published by the U.S. Department of Health and Human Services, sets new objectives for the current decade.

Healthy People 2000 noted the significant impact that alcohol, tobacco, and other drugs have on the health of individuals and communities:

Recognition and acknowledgement of the gravity of alcohol and other drug problems in the United States are changing the social climate. Almost every national opinion poll places alcohol and other drug problems as a priority concern, and the national effort to prevent these problems have mobilized government, schools, communities, businesses, and families...Progress will depend greatly upon increasing levels of education and awareness.¹

Public education and awareness are integral parts of DASA's goal – to reduce the likelihood of individuals becoming chemically dependent, and to provide an opportunity for chemically dependent persons to achieve and maintain recovery. This *Report* represents an important tool in our ongoing efforts towards this goal.

This is the 11th edition of *Tobacco*, *Alcohol*, and *Other Drug Abuse Trends*. We continue to expand and refine the *Report*. This year, we have added new information on the provision of substance abuse treatment services offered through the Department of Corrections. Profiles are provided for individuals receiving treatment through various modalities and funding sources, and for whom treatment outcomes are being documented. The section on the benefits of treatment completion and retention has been significantly expanded. Areas where new or changed trends are now being identified are clearly marked. Finally, there are two essays on policy issues confronting Washington State. They are:

- Alcoholism as a Chronic Disease
- Substance Abuse and Aging



The federal Controlled Substance Act (CSA) of 1970 gave Congress the authority to regulate the interstate commerce of drugs, and established five schedules that classify all substances, which were in some manner regulated under existing federal law. The placement of each drug is based upon the substance's medical use, potential for abuse, safety, and risk of dependence. The Act also provides a mechanism for substances to be controlled, or added to a schedule; decontrolled, or removed from control; and rescheduled or transferred from one schedule to another.

In determining into which schedule a drug or other substance should be placed, or whether a substance should be decontrolled or rescheduled, certain factors are required to be considered as follows:

- The drug's actual or relative potential for abuse;
- Scientific evidence of the drug's pharmacological effects;
- The state of current scientific knowledge regarding the substance;
- \bullet Its history and current pattern of abuse;
- $\bullet\,$ The scope, duration, and significance of abuse;
- What, if any, risk there is to the public health;
- The drug's psychic or physiological dependence liability; and
- Whether the substance is an immediate precursor of a substance already controlled.

Schedule I

- The drug or other substance has a high potential for abuse.
- The drug or other substance has no currently accepted medical use in treatment in the United States.
- There is a lack of accepted safety for use of the drug or other substance under medical supervision.
- Some Schedule I substances are heroin, LSD, marijuana, and methaqualone.

Schedule II

- $\bullet\,$ The drug or other substance has a high potential for abuse.
- The drug or other substance has a currently accepted medical use in treatment in the United States or a currently accepted medical use with severe restrictions.

- Abuse of the drug or other substance may lead to severe psychological or physical dependence.
- Schedule II substances include morphine, PCP, cocaine, methadone, and methamphetamine.

Schedule III

- The drug or other substance has a potential for abuse less than the drugs or other substances in Schedules I and II.
- The drug or other substance has a currently accepted medical use in treatment in the United States.
- Abuse of the drug or other substance may lead to moderate or low physical dependence or high psychological dependence.
- Anabolic steroids, codeine, and hydrocodone with aspirin or Tylenol, and some barbiturates are Schedule III substances.

Schedule IV

- The drug or other substance has a low potential for abuse relative to the drugs or other substances in Schedule III.
- The drug or other substance has a currently accepted medical use in treatment in the United States.
- Abuse of the drug or other substance may lead to limited physical dependence or psychological dependence relative to the drugs or other substances in Schedule III.
- Included in Schedule IV are Darvon, Talwin, Equanil, Valium, and Xanax.

Schedule V

- The drug or other substance has a low potential for abuse relative to the drugs or other substances in Schedule IV.
- The drug or other substance has a currently accepted medical use in treatment in the United States.
- Abuse of the drug or other substance may lead to limited physical dependence or psychological dependence relative to the drugs or other substances in Schedule IV.
- Over-the-counter cough medicines with codeine are classified in Schedule V.



Controlled Substances Uses and Effects

Drugs (CSA Schedules	Trade or Other Names	Medical Uses
NARCOTICS			
Heroin	1	Diacetylmorphine, Horse, Smack	None in U.S., Analgesic, Antitussive
Morphine	II	Duramorph, MS-Contin, Oramorph SR, Roxanol	Analgesic
Codeine	II, III, V	Empirin w/Codeine, Fiorinal w/Codeine, Robitussin A-C, Tylenol w/Codeine	Analgesic, Antitussive
Hydrocodone	II, III	Lorcet, Hycodan, Tussionex, Vicodin	Analgesic, Antitussive
Hydromorphone	II	Dilaudid	Analgesic
Oxycodone	II	Percocet, Percodan, Roxicet, Roxidodone, Tylox	Analgesic
Methadone and LA	AM I, II	Dolophine, levomethadyl acetate, Orlaam	Analgesic, Treatment of Dependence
Fentanyl and Analog	gs I, II	Alfenta, Duragesic, Innovar, Sufenta	Analgesic, Anesthetic
Other Narcotics	II, III, IV, V	Buprenex, Darvon, Demerol, opium, Talwin	Analgesic, Antidiarrheal
DEPRESSANTS			
Chloral Hydrate	IV	Noctec, Somnos, Felsules	Hypnotic
Barbiturates	II, III, IV	Amytal, Florinal, Nembutal, Seconal, Tuinal	Anesthetic, Anticonvulsant, Sedative, Hypnotic, Veterinary Euthanasia Agent
Benzodiazepines	IV	Ativan, Dalmane, Diazepam, Halcion, Librium, Paxipam, Rohypnol², Serax, Tranxene, Valium, Versed, Xanax	Antianxiety, Sedative, Anticonvulsant, Hypnotic
Glutethimide	II	Doriden	Sedative, Hypnotic
Gamma Hydroxybu	ıtyrate ¹	GHB, Georgia Home Boy, Liquid Ecstasy	None in U.S.
Other Depressants	I, II, III, IV	Equanil, Miltown, Noludar, Placidyl, Valmid	Antianxiety, Sedative, Hypnotic

Source: U.S. Department of Justice, Drug Enforcement Administration

xviii

¹ Washington State Board of Pharmacy has GHB and related analogs included in Schedule III.

² Some of the following drug names are products that may contain other active agents.



Physical Dependence NARCOTIC	Psychological Dependence S	Tolerance	Duration (Hours)	Usual Method	Possible Effects	Effects of Overdose	Withdrawal Syndrome
High High Moderate High High High High High High	High High Moderate High High High High High High High	Yes	3 - 6 3 - 6 3 - 6 3 - 6 4 - 5 12 - 72 10 - 72 Variable	Injected, Sniffed, Smoked Oral, Smoked, Injected Oral, Injected Oral Oral, Injected Oral Oral, Injected Injected, Transdermal Patch Oral, Injected	 Euphoria Drowsiness Respiratory depression Constricted pupils Nausea 	 Slow & shallow breathing Clammy skin Convulsions Coma Possible death 	 Watery eyes Runny nose Yawning Loss of appetite Irritability Tremors Panic Cramps Nausea Chills & sweating
DEPRESSAN	NTS						
Moderate High-Mod. Low High Unknown Moderate	Moderate High-Mod. Low Moderate Unknown Moderate	Yes Yes Yes Yes Yes Yes	5 - 8 1 - 16 4 - 8 4 - 8 Dependent on dose 4 - 8	Oral Oral, Injected Oral, Injected Oral Oral Oral Oral	Slurred speech Disorientation Drunken behavior without odor of alcohol	Shallow respiration Clammy skin Dilated pupils Weak & rapid pulse Coma Possible death	AnxietyInsomniaTremorsDeliriumConvulsionsPossible death



Controlled Substances Uses and Effects

0	chedules	Trade or Other Names	Medical Uses
STIMULANTS			
Cocaine	II	Coke, Flake, Snow, Crack	Local anesthetic
Amphetamine/Methampheta	mine II	Adderall, Desoxyn, Dexedrine	Attention deficit disorder, narcolepsy, weight control
Methylphenidate	П	Ritalin	Attention deficit disorder, narcolepsy
Other Stimulants	II, III, IV	Adipex, Didrex, Ionamin, Melfiat, Meridia, Plegine, Prelu-2, Preludin, Sanorex, Tenuate, Tepanil	Weight control
CANNABIS			
Marijuana	I	Acapulco Gold, Grass, Mary Jane, Pot, Reefer, Sinsemilla, Thai Sticks	None
Tetrahydrocannabinol	Ι, ΙΙ	Marinol, THC	Antinauseant
Hashish and Hashish Oil	I	Hash, Hash Oil	None
HALLUCINOGENS			
LSD	I	Acid, Boomers, Microdot, Trips	None
Mescaline & Peyote	I	Buttons, Cactus, Mescal	None
Amphetamine Variants	I	DOM, DOB, Ecstasy, MDA, MDMA, Nexus, STP	None
Phencyclidine & Analogs	I, II	Angel Dust, Hog, Loveboat, PCE, PCP, TCP	None
Ketamine	Ш	Ketaject, Ketalar	General anesthetic
Other Hallucinogens	I	Bufotenine, DMT, Ibogaine, Psilocybin, Psilocyn	None
ANABOLIC STEROIDS			
Testosterone (Cypionate, Ena	nthate) III	Androderm, Delatestryl, Depo-Testosterone	Hypogonadism
Nandrolone (Decanoate, Phenpro	pionate) III	Deca-Durabolin, Durabolin, Nortestonsterone	Anemia, Breast cancer
Oxymetholone	Ш	Anadrol-50	Anemia

 $\mathbf{X}\mathbf{X}$



Physical Dependence	Psychological Dependence	Tolerance	Duration (Hours)	Usual Method	Possible Effects	Effects of Overdose	Withdrawal Syndrome
STIMULAN	TS						
Possible	High	Yes	1 - 2	Sniffed, Smoked, Injected	Increased alertness Excitation	Agitation Increased body	Apathy Long periods of sleep Irritability Depression Disorientation
Possible	High	Yes	2 - 4	Oral, Injected, Smoked	• Euphoria	Increased body temperature Hallucinations Convulsions	
Possible	High	Yes	2 - 4	Oral, Injected	 Increased pulse rate & blood pressure 		
Possible	High	Yes	2 - 4	Oral, Injected	InsomniaLoss of appetite	Possible death	
CANNABIS							
Unknown	Moderate	Yes	2 - 4	Smoked, Oral	• Euphoria	 Fatigue Paranoia Possible psychosis	Occasional reports of insomniaHyperactivityDecreased appetite
Unknown	Moderate	Yes	2 - 4	Smoked, Oral	Relaxed inhibitionsIncreased appetite		
Unknown	Moderate	Yes	2 - 4	Smoked, Oral	Disorientation		
HALLUCIN	OGENS						
None	Unknown	Yes	8 - 12	Oral	Illusions and hal- lucinations	Longer More intense "trip" episodes Psychosis Possible death	• Unknown
None	Unknown	Yes	8 - 12	Oral	Altered perception of		
Unknown	Unknown	Yes	Variable	Oral, Injected	time and distance		
Unknown	High	Yes	Days	Oral, Smoked			
Unknown	Unknown	Yes	Variable	Injected, Oral, Smoked			
None	Unknown	Possible	Variable	Smoked, Oral, Injected, Sniffed			
ANABOLIC	STEROIDS						
Unknown	Unknown	Unknown	14 - 28 Days	Injected	Virilization Acne Testicular atrophy Gynecomastia	• Unknown	Possible depression
Unknown	Unknown	Unknown	14 - 21 Days	Injected			
Unknown	Unknown	Unknown	24	Oral	Agressive behavior Edema		



Street Prices for Illicit Drugs

DRUG	UNIT	AVERAGE STREET PRICE	RANGE
Heroin	GRAM	\$55	\$15-\$120
	OUNCE	\$766	\$450-\$1,300
Cocaine	GRAM	\$62	\$20-\$100
	OUNCE	\$752	\$450-\$1,200
Methamphetamine	GRAM	\$54	\$20-\$100
	OUNCE	\$694	\$300-\$1,200
Cannabis	GRAM	\$16	\$10-\$30
	OUNCE	\$257	\$80-\$400

Source: Northwest High Intensity Drug Trafficking Area (NW HIDTA), 2003.

The Northwest High Intensity Drug Trafficking Area (NW HIDTA) periodically gathers data on both the street prices and availability of common illicit drugs of abuse. Information is compiled from the Drug Enforcement Agency, U.S. Border Patrol, area narcotics taskforces, sheriff's offices, police departments, and the Coast Guard. Both price and availability can vary widely both by region and by county.



New/Changing Trends for 2003

Preparation of the *Trends Report* annually makes it possible to examine data for new or changing trends. Such trends can mark the success or failure of a recent legislative effort, a new intervention or change in public health practice, or changes in behavior. They may point the way toward increased need for surveillance, research and analysis, or reorientation in the delivery of public services.

For 2003, the following new or changing trends are worthy of note:

- Chronic drinking rates in Washington State are on the rise, and are at their highest point in more than a decade (page 61).
- The rate of alcohol-related traffic fatalities has significantly declined, and appears to be associated with the lowering of the blood alchol concentration (BAC) standard necessary for a Driving Under the Influence (DUI) determination (page 71).
- Deaths from residential fires are increasing (page 74).
- Rates of heroin-related deaths in Seattle-King County have declined substantially since 1998 (page 81).
- The number of other opiates identified in drug-caused deaths in King County has doubled since 1994 (page 82).
- Gonorrhea rates have increased more than 50% since 1998, and are associated with men having sex with men (page 96).
- For the first time in a decade, the number of reported methamphetamine laboratories/dumpsites is dropping (page 103).
- Waiting lists for treatment under the Alcohol and Drug Abuse Treatment and Support Act have tripled since 1991, and have risen rapidly in the past three years (page 183).
- Washington State has made a major commitment to providing chemical dependency treatment to offenders (page 218).

In addition, data gathered for this *Report* suggest there are three other trends worth monitoring:

- Tobacco use rates among youth appear to be declining (page 20).
- The infant death rate in Washington State is no longer declining, and may in fact be on the rise (page 68).
- Deaths due to chronic liver disease and cirrhosis are at their highest point in a decade (page 77).